## Table 17B 2002 Pediatric Nutrition Surveillance Colusa

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 1 Run Date: 11 / 7 / 03

County: 006

## Anemia Indicators by Race/Ethnicity and Age (3, 4) Anemia Low Hb/Hct % Number White, Not Hispanic 10 6 - 11 Months 8 12 - 17 Months 6 18 - 23 Months 5 24 - 35 Months 23 36 - 59 Months 52 **Total** Black, Not Hispanic 4 6 - 11 Months 9 12 - 17 Months 4 18 - 23 Months 11 24 - 35 Months 18 36 - 59 Months Total 46 Hispanic 115 20.0 6 - 11 Months 67 12 - 17 Months 29 18 - 23 Months 24 - 35 Months 67 176 9.1 36 - 59 Months Total 454 11.0 American Indian/Alaskan Native 0 6 - 11 Months 0 12 - 17 Months 0 18 - 23 Months 0 24 - 35 Months 36 - 59 Months Total

State:

California

Figure 11 and Age		
		Anemia
		Low Hb/Hct
	Number	%
Asian/Pacific Islander		
6 - 11 Months	0	*
12 - 17 Months	0	*
18 - 23 Months	1	*
24 - 35 Months	1	*
36 - 59 Months	6	*
Total	8	*
All Other/Unknown		
6 - 11 Months	6	*
12 - 17 Months	12	*
18 - 23 Months	4	*
24 - 35 Months	7	*
36 - 59 Months	17	*
Total	46	*
Total All Race/Ethnic Groups		
6 - 11 Months	135	20.0
12 - 17 Months	96	*
18 - 23 Months	44	*
24 - 35 Months	91	*
36 - 59 Months	241	9.5
Total	607	11.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 11 / 7 / 03

## Anemia Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

State: California County: 006

Anemia Indicators by Race/Ethnicity and Age (3, 4)								
		Anemia			Anemia			
		Low Hb/Hct			Low Hb/Hct			
	Number	%		Number	%			
White, Not Hispanic			Asian/Pacific Islander					
5 - 7 Years	0	*	5 - 7 Years	0	*			
8 - 11 Years	0	*	8 - 11 Years	0	*			
12 - 14 Years - Boys	5	*	12 - 14 Years - Boys	1	*			
12 - 14 Years - Girls	8	*	12 - 14 Years - Girls	0	*			
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	1	*			
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*			
Total	19	*	Total	2	*			
Black, Not Hispanic			All Other/Unknown					
5 - 7 Years	0	*	5 - 7 Years	0	*			
8 - 11 Years	0	*	8 - 11 Years	0	*			
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	2	*			
12 - 14 Years - Girls	16	*	12 - 14 Years - Girls	6	*			
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	3	*			
15 - 19 Years - Girls	14	*	15 - 19 Years - Girls	1	*			
Total	38	*	Total	12	*			
Hispanic			Total All Race/Ethnic Groups					
5 - 7 Years	0	*	5 - 7 Years	0	*			
8 - 11 Years	ő	*	8 - 11 Years	ő	*			
12 - 14 Years - Boys	27	*	12 - 14 Years - Boys	42	*			
12 - 14 Years - Girls	29	*	12 - 14 Years - Girls	60	*			
15 - 19 Years - Boys	22	*	15 - 19 Years - Boys	30	*			
15 - 19 Years - Girls	27	*	15 - 19 Years - Girls	46	*			
Total	105	15.2	Total	178	15.2			
American Indian/Alaskan Native					-			
5 - 7 Years	0	*						
8 - 11 Years	0	*						
12 - 14 Years - Boys	0	*						
12 - 14 Years - Boys		*						
15 - 14 fears - Girls 15 - 19 Years - Boys	0	*						
15 - 19 Years - Boys 15 - 19 Years - Girls	1 1	*						
Total	2	*						
I Olai	4							

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



 <sup>(3)</sup> Excludes records with unknown data or errors.
 (4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.
 \* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>